

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94032	(evolv\$4 chang\$3 roll\$3) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L2	12067	(new\$2 old\$2) near3 key\$1	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L3	189746	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near3 (record\$3 log\$3)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L4	1792	L1 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L5	1633	L4 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L6	16055	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near6 (corrupt\$4 uncorrupt\$5 hack\$4 malicious\$2 attack\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L7	391	L5 and L6	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L8	81093	(new\$2 old\$2 previous\$2) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L9	20788	(eras\$4 delet\$4 trash\$4) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L10	391	L7 and L8	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L11	210	L9 and L10	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L12	55	L11 and administrat\$4	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05

L13	23195	((713/1-2) or (713/153) or (713/154) or (713/168) or (713/171) or (713/179) or (713/182-184) or (713/187-189) or (713/194) or (726/2-4) or (726/17-18) or (726/21-27) or (726/30) or (726/34) or (709/223-225) or (380/1) or (380/201) or (380/228-229) or (380/239) or (380/255) or (380/259) or (380/37) or (380/42) or (380/277) or (380/282-286) or (380/28-30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L14	4545	L13 and L1	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L15	1020	L14 and L6	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L16	216	L15 and L9	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L17	89	L16 and administrat \$4	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L18	61	L17 and L3	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L19	1807	(system\$1 network\$3 station\$1 workstation \$1 computer\$1) near7 (record\$3 log \$3) near7 (evolv\$4 chang\$3 roll\$3 modif \$9 administrat\$4) near5 (secret\$1 code \$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher \$9 cipher\$9 key\$1 secret\$1 state action \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L20	124	L19 and L9	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L21	99	L20 and L1	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05

L22	87	L21 and record\$4	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L23	76	L22 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L24	41	L23 and administrat \$4	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L25	6	L24 and L6	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L26	85	L21 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L27	11	L26 and hash\$4	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L28	2	(system\$1 network\$3 station\$1 workstation \$1 computer\$1) near7 (record\$3 log \$3) near7 (chang\$3 roll\$3 modif\$9) near5 administ\$9 near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L29	934	(system\$1 network\$3 station\$1 workstation \$1 computer\$1) near7 (record\$3 log \$3) near7 (chang\$3 roll\$3 modif\$9) near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L30	6	(system\$1 network\$3 station\$1 workstation \$1 computer\$1) near7 (record\$3 log \$3) near7 (chang\$3 roll\$3 modif\$9) near5 (state administ\$9) near5 action\$1	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L31	11	(record\$3 log\$3) near7 (chang\$3 roll\$3 modif\$9) near5 administ\$9 near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L32	8	L31 and ((eras\$4 delet \$4 trash\$4) and (secret\$1 code\$1 pin password\$1 encrypt \$7 encod\$4 mac key \$1 encipher\$9 cipher \$9))	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05

L33	3	L32 and ((evolv\$4 chang\$3 roll\$3 new \$2 old\$2 previous\$2) near4 (secret\$1 code \$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher \$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L34	3	L32 and ((evolv\$4 chang\$3 roll\$3 new \$2 old\$2 previous\$2) near4 (secret\$1 code \$1 pin password\$1 encrypt\$7 key encod \$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L35	3	L32 and ((evolv\$4 chang\$3 roll\$3 new \$2 old\$2 previous\$2 modif\$9) near4 (secret\$1 code\$1 pin password\$1 encrypt \$7 key encod\$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L36	42	L12 and hash\$3	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L37	494	(compar\$7 verif\$9 match\$4) near8 (log \$1 record\$1 histor\$3) near8 (administrat\$4 manager\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L38	145	L37 and L1	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L39	44	L38 and hash\$5	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L40	15	L39 and L9	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L41	40	James near3 riordan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 00:05

L42	2144	bind\$4 and ((administrat\$4 manag\$5 superuser super-user super) near4 (task\$3 funtion \$1 action\$1)) and (log record\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L43	28	L42 and ((cryptographic\$3 des encrypt\$6 cipher\$9 encipher\$9) near3 function\$1) and exponent\$8	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L44	28	L43 and hash\$6	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:05
L45	29564	((711/3) or (711/113) or (711/118-123) or (711/129-132) or (711/137-140) or (711/144) or (711/216) or (713/1- 2) or (713/153) or (713/154) or (713/164) or (713/168) or (713/171) or (713/179) or (713/182-184) or (713/187-189) or (713/194) or (726/2- 4) or (726/17-18) or (726/21-27) or (726/30) or (726/34) or (709/223-225) or (380/1) or (380/201) or (380/228-229) or (380/239) or (380/255) or (380/259) or (380/37) or (380/42) or (380/277) or (380/282-286) or (380/28-30)).OCLS.	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:09
L46	8612	45 and ((evolv\$4 chang\$3 roll\$3 new \$2 old\$2 previous\$2) near4 (secret\$1 code \$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher \$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:11

L47	3157	46 and (one-way sha \$1 hash\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:12
L48	17	((kernel\$1 os core\$1) near5 (level\$1 layer \$1)) near9 (one-way sha\$1 hash\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:13
L49	434	((kernel\$1 os core\$1) near5 (level\$1 layer \$1)) near9 (cach\$3)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:13
L50	3	47 and 48	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:14
L51	12	48 and ((one-way near3 function\$1) (one near2 way\$1 near2 function\$1) sha \$1 hash\$4)	USPAT; IBM_TDB	OR	OFF	2009/03/02 00:14
L53	1	((one-way near3 function\$1) (one near2 way\$1 near2 function\$1) sha\$1 hash\$4) and evolv\$3 and secret\$1 and bind \$3).clm.	US-PGPUB	OR	OFF	2009/03/02 00:16

3/ 2/ 09 12:18:12 AM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10811177.w.sp